

**Trade name:** ReadyCon Norm/Pat - test solution for glucose and latate, ready for use, set of 25 pcs. **Product no.:** EKF-020

Current version : 4.0.0, issued: 21.02.2020

Region: GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

# ReadyCon Norm/Pat - test solution for glucose and latate, ready for use, set of 25 pcs.

## 5130-6152 ReadyCon Norm

## 5130-6162 ReadyCon Pat

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

## Relevant identified uses of the substance or mixture

Liquid, pre-diluted 1:51-fold, ready for use, test solution with glucose / lactate concentration within the normal range used for checking the precision and accuracy of selected glucose / lactate analyzers. Applicable only for hemolysing methods which are accomplished in the dilution relationship 1:51.

## Uses advised against

No data available.

## 1.3 Details of the supplier of the safety data sheet

## Address

EKF-diagnostic GmbH Ebendorfer Chaussee 3 39179 Barleben Germany

Telephone no.+49(0)39203511-0Fax no.+49(0)39203511-171

**Information provided by / telephone** Telephone number +49(0)39203511-0

Advice on Safety Data Sheet support@ekf-diagnostic.de

## 1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

## 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms

Signal word

Hazard statement(s)



**Trade name:** ReadyCon Norm/Pat - test solution for glucose and latate, ready for use, set of 25 pcs. **Product no.:** EKF-020

Current version : 4.0.0, issued: 21.02.2020Replaced version: 3.0.0, issued: 22.03.2013Region: GB

I .	-			
	Hazard statements (EU) EUH208	Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1), 2-methyl-2H-isothiazol-3- one. May produce an allergic reaction.		
•	EUH210	Safety data sheet available on request.		
I	Precautionary statement(s)			
I	Labelling information The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).			
2.3	<b>Other hazards</b> No special hazards have to be mentioned. Please observe the information given in this safety data sheet.			
SECTION 3: Composition/information on ingredients				

## 3.1 Substances

Not applicable. The product is not a substance.

## 3.2 Mixtures

## **Chemical characterization**

aqueous solution

## Hazardous ingredients

No	Substance name		Additional information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concentration	%
	REACH no			
1		5-chloro-2-methyl-4-isothiazolin-3-one [EC no.		
		ethyl-2H -isothiazol-3-one [EC no. 220-239-6]		
	(3:1)			
	55965-84-9	Acute Tox. 2; H310	< 0.0015	%-b.w.
	-	Acute Tox. 2; H330		
	613-167-00-5	Acute Tox. 3; H301		
	-	Aquatic Acute 1; H400		
		Aquatic Chronic 1; H410		
		EUH071		
		Eye Dam. 1; H318		
		Skin Corr. 1C; H314		
		Skin Sens. 1A; H317		
2	2-methyl-2H-isothiazol-3-one			
	2682-20-4	Acute Tox. 2; H330	< 0.10	%-b.w.
	220-239-6	Acute Tox. 3; H301		
	613-326-00-9	Acute Tox. 3; H311		
	-	Aquatic Acute 1; H400		
		Aquatic Chronic 1; H410		
		EUH071		
		Eye Dam. 1; H318		
		Skin Corr. 1B; H314		
		Skin Sens. 1A; H317		

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	В	Skin Sens. 1A; H317: C >= 0.0015% Eye Irrit. 2; H319: C >= 0.06% Skin Irrit. 2; H315: C >= 0.06% Skin Corr. 1C; H314: C >= 0.6% Eye Dam. 1; H318: C >= 0.6%	M = 100	M = 100
2	-	Skin Sens. 1A; H317: C >= 0.0015%	M = 10	M = 1
Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances				



**Trade name:** ReadyCon Norm/Pat - test solution for glucose and latate, ready for use, set of 25 pcs. **Product no.:** EKF-020

Current version : 4.0.0, issued: 21.02.2020

Replaced version: 3.0.0, issued: 22.03.2013

Region: GB

## ((EC) No 1272/2008, Annex VI)".

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

## General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

### After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

### After skin contact

Wash off immediately with soap and water.

#### After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.).

## After ingestion

Never give anything by mouth to an unconscious person. If individual is drowsy or unconscious, place in recovery position (on left side, with head down). Rinse out mouth and give plenty of water to drink.

## 4.2 Most important symptoms and effects, both acute and delayed No data available.

- NU Uala availabi
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

### Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

**Unsuitable extinguishing media** No data available.

5.2 Special hazards arising from the substance or mixture None known.

## 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation.

### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

## 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

### **6.3** Methods and material for containment and cleaning up Pick up with absorbent material (e.g., sand, sawdust, general-purpose binder). Send in suitable containers for recovery or disposal.

6.4 Reference to other sections No data available.

## **SECTION 7: Handling and storage**



Trade name: ReadyCon Norm/Pat - test solution for glucose and latate, ready for use, set of 25 pcs.

Product no.: EKF-020

Current version : 4.0.0. issued: 21.02.2020

Replaced version: 3.0.0. issued: 22.03.2013

Region: GB

#### 7.1 Precautions for safe handling

## Advice on safe handling

Ensure adequate ventilation.

## General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eves and skin. Remove soiled or soaked clothing immediately. Wash hands before breaks and after work.

Advice on protection against fire and explosion No special measures necessary.

#### 7.2 Conditions for safe storage, including any incompatibilities

## Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place. **Recommended storage temperature** 4

Value

°C

## Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

#### Incompatible products Store the foodstuffs separately.

7.3 Specific end use(s)

No data available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

No parameters available for monitoring.

#### 8.2 **Exposure controls**

Appropriate engineering controls No data available.

## Personal protective equipment

**Respiratory protection** No special measures required.

## Eye / face protection

Safety glasses (EN 166)

#### Hand protection Protective gloves (recommended)

Other

Standard laboratory clothing.

**Environmental exposure controls** No data available.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Form/Colour			
liquid			
colourless			
Odour			
odourless			
Odour threshold			
No data available			



# **Trade name:** ReadyCon Norm/Pat - test solution for glucose and latate, ready for use, set of 25 pcs. **Product no.:** EKF-020

Current version : 4.0.0, issued: 21.02.2020

Replaced version: 3.0.0, issued: 22.03.2013

Region: GB

pH value			
Value		7.2	
Reference temperature		20	<b>3</b> °
Boiling point / boiling range			
Value	appr.	100	٥°
Reference pressure		1013	mbar
Melting point / melting range			
No data available			
Decomposition point / decomposition range No data available	1		
Flash point			
No data available			
Auto-ignition temperature			
No data available			
Oxidising properties			
No data available			
Explosive properties No data available			
Flammability (solid, gas)			
No data available			
Lower flammability or explosive limits			
No data available			
Upper flammability or explosive limits			
No data available			
Vapour pressure No data available			
Vapour density			
No data available			
Evaporation rate			
No data available			
Relative density			
No data available			
Demoite			
Density No data available			
Solubility in water	<b>_</b>		
Comments	soluble		
Solubility(ies)			
No data available			
Partition coefficient: n-octanol/water			
No data available			
		_	
Viscosity			
No data available			
2 Other information			
Other information			
No data available.			



**Trade name:** ReadyCon Norm/Pat - test solution for glucose and latate, ready for use, set of 25 pcs. **Product no.:** EKF-020

FIGUUCI IIO.. EKF-020

Current version : 4.0.0, issued: 21.02.2020

Replaced version: 3.0.0, issued: 22.03.2013

Region: GB

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

## **10.2 Chemical stability** Stable under recommended storage and handling conditions (See section 7).

- **10.3 Possibility of hazardous reactions** None, when used as directed.
- **10.4 Conditions to avoid** None known
- 10.5 Incompatible materials none, if handled according to order
- **10.6 Hazardous decomposition products** No hazardous decomposition products if stored and handled as prescribed.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute oral toxicity
No data available
Acute dermal toxicity
No data available
Acute inhalational toxicity
No data available
Skin corrosion/irritation
No data available
Serious eye damage/irritation No data available
Respiratory or skin sensitisation No data available
Germ cell mutagenicity No data available
Reproduction toxicity
No data available
Carcinogenicity
No data available
STOT - single exposure
No data available
STOT - repeated exposure
No data available
Aspiration hazard
No data available
Delayed and immediate effects as well as chronic effects from short and long-term exposure
When handled appropriately adverse health effects are not to be expected.
Other information

## The product was classified in toxicological terms on the basis of the results of the calculation procedure outlined

within General Directive on Preparations (1999/45/EC).



**Trade name:** ReadyCon Norm/Pat - test solution for glucose and latate, ready for use, set of 25 pcs. **Product no.:** EKF-020

Current version : 4.0.0, issued: 21.02.2020

Replaced version: 3.0.0, issued: 22.03.2013

Region: GB

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish (acute)

No data available

#### Toxicity to fish (chronic) No data available

Toxicity to Daphnia (acute) No data available

## Toxicity to Daphnia (chronic) No data available

Toxicity to algae (acute)

No data available

## Toxicity to algae (chronic)

No data available

Bacteria toxicity No data available

## 12.2 Persistence and degradability

No data available.

## **12.3 Bioaccumulative potential** No data available.

- **12.4 Mobility in soil** No data available.
- **12.5 Results of PBT and vPvB assessment** No data available.

#### **12.6 Other adverse effects** No data available.

## 12.7 Other information

## Other information

Do not discharge into the drains or waters and do not store on public depositories.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

## Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

### Packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

## **SECTION 14: Transport information**

## 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

## 14.2 Transport IMDG

The product is not subject to IMDG regulations.

## 14.3 Transport ICAO-TI / IATA



Trade name: ReadyCon Norm/Pat - test solution for glucose and latate, ready for use, set of 25 pcs.

Product no.: EKF-020

Current version : 4.0.0, issued: 21.02.2020

Replaced version: 3.0.0, issued: 22.03.2013

Region: GB

The product is not subject to ICAO-TI / IATA regulations.

- **14.4 Other information** No data available.
- **14.5** Environmental hazards Information on environmental hazards, if relevant, please see 14.1 - 14.3.
- **14.6** Special precautions for user No data available.
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not relevant

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

## Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

## REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances requiring authorisation as listed on Annex XVII of the REACH regulation (EC) 1907/2006.

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances** This product is not subject to Part 1 or 2 of Annex I.

## 15.2 Chemical safety assessment

No data available.

## **SECTION 16: Other information**

## Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case. EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU National Threshold Limit Values of the corresponding countries as amended in each case. Transport regulations according to ADR, RID, IMDG, IATA as amended in each case. The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

## Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH071	Corrosive to the respiratory tract.
H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.



**Trade name:** ReadyCon Norm/Pat - test solution for glucose and latate, ready for use, set of 25 pcs. **Product no.:** EKF-020

Current version : 4.0.0. issued: 21.02.2020

Replaced version: 3.0.0, issued: 22.03.2013

Region: GB

## Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

В

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

#### Department issuing safety data sheet UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

## Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 611039